

Monarch Server

**Version 14.3**



**[Content Dynamic Login Interface  
Settings]**



Datawatch Corporation makes no representation or warranties with respect to the contents of this manual or the associated software and especially disclaims any implied warranties of merchantability or fitness for any particular purpose. Further, Datawatch Corporation reserves the right to revise this publication and make changes from time to time to its contents without obligation to notify anyone of such revisions or changes.

Monarch Server software is offered and is to be used in accordance with a SOFTWARE LICENSE AND MAINTENANCE AGREEMENT. This agreement stipulates that this software be used only in the computer system designated in that agreement. The agreement further stipulates that the customer shall not copy or alter, or permit others to copy or alter, the software or related materials in whole or in part, in any media for any purpose, except to make an archive (back-up) copy or to make a copy as an essential step in the use of the software with the customer's computer.

Datawatch Corporation hereby grants the buyer the right to reprint this documentation for internal uses only. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, for any other purposes, without the prior written permission of Datawatch Corporation.

*Monarch Server 14.3 Content Dynamic Login Interface Settings*

Copyright © 2017 by Datawatch Corporation

All rights reserved. Printed in the U.S.A.

Unpublished - Rights reserved under the copyright law of the United States.

Monarch Server is a trademark of Datawatch Corporation. Other products mentioned herein may be trademarks or registered trademarks of their respective owners in the United States or other countries.

For U.S. Government End Users, the software is a "Commercial Item(s)," as that term is defined at 48 C.F.R. Section 2.101, consisting of "Commercial Computer Software" and "Commercial Computer Software Documentation," as such terms are used in 48 C.F.R. Section 12.212 or 48 C.F.R. Section 227.7202, as applicable. Consistent with 48 C.F.R. Section 12.212 or 48 C.F.R. Sections 227.7202-1 through 227.7202-4, as applicable, the Commercial Computer Software and Commercial Computer Software Documentation are being licensed to U.S. Government end users (a) only as Commercial Items and (b) with only those rights as are granted to all other end users pursuant to the Datawatch Software License and Maintenance Agreement.

## **DATAWATCH CORPORATION**

### **CORPORATE HEADQUARTERS**

4 Crosby Drive  
Bedford, MA 01730, USA  
Tel.: +1 800.445.3311  
Fax: +1 978.441.1114

### **NEW YORK**

415 Madison Avenue, Suite 1421  
New York, NY 10017  
Tel.: +1 800.445.3311

### **GREENSBORO, NC**

101 S Elm #225  
Greensboro, NC 27401  
Tel: +1 800.445.3311

## **EUROPE, MIDDLE EAST, AND AFRICA**

### **EUROPEAN HEADQUARTERS**

Siena Court, Broadway  
Maidenhead, Berkshire SL6 1NJ  
Tel: +44 203.868.0230

### **DATAWATCH AB**

Eriksbergsgatan 10  
Stockholm, Sweden SE-114 30  
Tel: +46 853.480.483

## **ASIA PACIFIC**

### **MANILA**

U2011 20th Flr Jollibee Plaza Condominium  
F. Ortigas Jr. Rd., Ortigas Center  
Pasig City 1605 PH  
Tel: +63 2.633.5583

# Table of Contents

**Specifying User Group for Dynamic Login ..... 1**

**Dynamic Login Interface Settings ..... 3**

# Specifying User Group for Dynamic Login

When logging in to MS Client via Dynamic Login Test Page, the user should enter the name of the user group in the MS that is entitled to log in. Once the user is logged in, all rights of this user group are assigned to this user.



## NOTES

In Monarch Server v14.3 that is upgraded from previous versions (e.g., v13.2), the virtual folders could still be labeled as "DSClient" (or "DSAdmin"). In this case, use "DSClient" (or "DSAdmin") instead of "MSClient" (or "MSAdmin") to open the Client (or Admin) page.

Server Administrator should create a user group in the MS Admin application and add the newly created group to the list of user groups that are entitled to log in.

### To specify user group for dynamic login


1. In the **Web.config** file of Admin application, change the value of the **ShowDynamicUserSettings** parameter from "false" to "true" to enable the Dynamic Login Setting page.

The path to the **Web.config** file is C:\inetpub\wwwroot\MSAdmin\Web.config.

The **ShowDynamicUserSettings** parameter is located in the <appSettings> section:

```
<appSettings>
  <add key="ShowDynamicUserSettings" value="true"/>
  ...
</appSettings>
```

2. Login to the Admin application, create a user group (e.g., Dynamic\_Group), add some rights, and assign any document types to them.
3. Open **System Settings > System Preferences > Dynamic Login Settings**, expand the **Groups for dynamic users** section, and assign the newly created user group to the **Selected User Groups** list.



4. Click the **Save** button.



# Dynamic Login Interface Settings

## To specify dynamic login interface settings

1. Copy the folder with the Dynamic Login web application to the IIS webapps directory (..\inetpub\wwwroot). Run IIS Management Studio and convert the DynamicLogin folder to the web application. Restarting the IIS service after converting is recommended.
2. In the **Web.config** file of the Client application, replace the **DYNAMICLOGIN\_ENDESSION\_URL** parameter's local host and port settings with values that match your local machine settings.

The path to the **Web.config** file is C:\inetpub\wwwroot\MSClient\Web.config.

The **DYNAMICLOGIN\_ENDESSION\_URL** parameter is located in the <appSettings> section:

```
<appSettings>
  <add key="DYNAMICLOGIN_ENDESSION_URL"
  value="http://localhost/DynamicLogin/DynamicUserApi/Login"/>
  ...
</appSettings>
```

3. After editing the web.config file, restart the IIS service.
4. Open the DynamicLogin application in the browser window (e.g., http://localhost/DynamicLogin/DynamicUserApi/Login).

The Dynamic Login to Datawatch form should be opened:

**Dynamic login**

- Fill necessary fields
- Click "Login To Datawatch" Button

Datawatch URL (Required):

User Name (Required):

User Full Name (Optional):  If not provided, User Name will be used for display.

User Group Names (Comma delimited - Required):

Redirect Page (Optional\*):  Main  
 Document Search  
 Report Search

Document Type Id (Optional):  Default/focused Document Type in Document or Report Search

Document Date (Optional) From:  To:  Is Latest:  (Note: Is latest overrides date range)

Security Keywords (Optional\*\*):

Show POST preview

\* To use user's selected preference for landing page, select Main.  
\*\* Security Keywords can be assigned in an assigned Group or specified via in login parameters.

[Home page](#)

5. The following fields should be filled manually:
  - Required:
    - ◆ **Datawatch URL** – Enter the Monarch Server Content Client Dynamic Login URL.

- ◆ **User Name** – Enter any value to be used for dynamic user creation in the dynamic login user group (Dynamic\_Group).
  - ◆ **User Group Name** – Enter the names of the Groups of which the User will be a member. Separate user group names with a comma (,).
  - ◆ **Redirect Page** – Select the page on which the User will be redirected after successful login if the User Group has the corresponding rights; otherwise, the My Home page opens.
  - Optional:
    - ◆ **User Full Name** – Enter some value for the full name of the dynamic user.
    - ◆ **Document Type Id** – Enter the ID value of some existing document types (for which the User Group has rights).
    - ◆ **Document Date** – Enter some correct date range, or select "Is Latest" checkbox.
    - ◆ **Security Keywords** – Click the "Add" button to add the new Security Keyword -> enter the name of some index field and the value of this field.
6. **Show POST preview** – Select the checkbox to display the POST request with specified login settings.

### Dynamic login

- Fill necessary fields
- Click "Login To Datawatch" Button

Datawatch URL (Required):	<input type="text" value="http://localhost/DSClient/api/dynamicLogin"/>		
User Name (Required):	<input type="text" value="Dynamic User"/>		
User Full Name (Optional):	<input type="text" value="Dynamic User Full Name"/>	If not provided, User Name will be used for display.	
User Group Names (Comma delimited - Required):	<input type="text" value="Dynamic_Group"/>	e.g. Company1,Views,02,03,05,08	
Redirect Page (Optional*):	<input type="radio"/> Main <input checked="" type="radio"/> Document Search <input type="radio"/> Report Search		
Document Type Id (Optional):	<input type="text" value="100"/>	Default/focused Document Type in Document or Report Search	
Document Date (Optional):	From: <input type="text" value="01/04/2016"/>	To: <input type="text" value="04/29/2016"/>	Is Latest: <input type="checkbox"/> (Note: Is latest overrides date range)
Security Keywords (Optional**):	<input type="button" value="Add"/>		
	Name <input type="text" value="Account Number"/>	Value <input type="text" value="11111"/>	<input type="button" value="Remove"/>
	<input type="button" value="Login to Datawatch"/>		
	<input type="checkbox"/> Show POST preview		

\* To use user's selected preference for landing page, select Main.  
 \*\* Security Keywords can be assigned in an assigned Group or specified via in login parameters.

[Home page](#)

7. Click **Login to Datawatch** button.

After performing these steps, you should be logged in to the MS Content Client application automatically with a Dynamic Login User Group, and the corresponding Security Keywords should be applied.