

Monarch Server Report Mining Edition

Version 14.3



**[Connection to Content Management
Systems]**



Datawatch Corporation makes no representation or warranties with respect to the contents of this manual or the associated software and especially disclaims any implied warranties of merchantability or fitness for any particular purpose. Further, Datawatch Corporation reserves the right to revise this publication and make changes from time to time to its contents without obligation to notify anyone of such revisions or changes.

Monarch Server 14.3 software is offered and is to be used in accordance with a SOFTWARE LICENSE AND MAINTENANCE AGREEMENT. This agreement stipulates that this software be used only in the computer system designated in that agreement. The agreement further stipulates that the customer shall not copy or alter, or permit others to copy or alter, the software or related materials in whole or in part, in any media for any purpose, except to make an archive (back-up) copy or to make a copy as an essential step in the use of the software with the customer's computer.

Datawatch Corporation hereby grants the buyer the right to reprint this documentation for internal uses only. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, for any other purposes, without the prior written permission of Datawatch Corporation.

Monarch Server Version 14.3 RMS Connection to Content Management Systems
Copyright © 2017 by Datawatch Corporation
All rights reserved. Printed in the U.S.A.
Unpublished - Rights reserved under the copyright law of the United States.

Monarch Server and Monarch Professional are trademarks of Datawatch Corporation. Other products mentioned herein may be trademarks or registered trademarks of their respective owners in the United States or other countries.

For U.S. Government End Users, the software is a "Commercial Item(s)," as that term is defined at 48 C.F.R. Section 2.101, consisting of "Commercial Computer Software" and "Commercial Computer Software Documentation," as such terms are used in 48 C.F.R. Section 12.212 or 48 C.F.R. Section 227.7202, as applicable. Consistent with 48 C.F.R. Section 12.212 or 48 C.F.R. Sections 227.7202-1 through 227.7202-4, as applicable, the Commercial Computer Software and Commercial Computer Software Documentation are being licensed to U.S. Government end users (a) only as Commercial Items and (b) with only those rights as are granted to all other end users pursuant to the Datawatch Software License and Maintenance Agreement.

DATAWATCH CORPORATION

CORPORATE HEADQUARTERS

4 Crosby Drive
Bedford, MA 01730, USA
Tel.: +1 800.445.3311
Fax: +1 978.441.1114

NEW YORK

415 Madison Avenue, Suite 1421
New York, NY 10017
Tel.: +1 800.445.3311

GREENSBORO, NC

101 S Elm #225
Greensboro, NC 27401
Tel: +1 800.445.3311

EUROPE, MIDDLE EAST, AND AFRICA

EUROPEAN HEADQUARTERS

Siena Court, Broadway
Maidenhead, Berkshire SL6 1NJ
Tel: +44 203.868.0230

DATAWATCH AB

Eriksbergsgatan 10
Stockholm, Sweden SE-114 30
Tel: +46 853.480.483

ASIA PACIFIC

MANILA

U2011 20th Flr Jollibee Plaza Condominium
F. Ortigas Jr. Rd., Ortigas Center
Pasig City 1605 PH
Tel: +63 2.633.5583

Table of Contents

Introduction	1
Entry Point for Initiation Request	2
Report Mining Edition Test API	3
Report Mining Edition API Configuration.....	10
API Reference.....	11
Server Library folder	11
GET method	11
Existence of Server Library objects	12
GET method	12
Starting of file upload session.....	12
POST method	12
File uploading.....	13
POST method	13
File content uploading	13
POST method	13
End of file upload session.....	13
POST method	10

Introduction

Monarch Server Report Mining Server (RMS) Edition can be used through an initiation request.

The initiation request can be accomplished in several steps.

1. Send the first request using the HTTP POST method to initialize the RMS session. The result of this request is a unique session ticket.
2. Upload the necessary reports using the HTTP POST method.
3. Submit session ticket in a client browser to analyze the uploaded reports.



Entry Point for Initiation Request

The initiation request is sent to the RMS entry point. The URL of the entry point is

`http://<host name>:<port number>/<RMS virtual directory>/TestFramework/TestAPI`

where


- ❑ `<host name>` is the name of the computer in which the target RMS WebServer component is installed
- ❑ `<port number>` is the port number on which the RMS WebServer is listening
- ❑ `<RMS virtual directory>` is the virtual directory in which the application is installed (RMSCClient by default)



Report Mining Edition Test API

RMS recognizes a request and then queries the report, model, and template data to determine the user's available views. The page with the appropriate request parameters will be displayed.

The RMS Test API page contains the following items:



The screenshot shows the 'REPORT MINING SERVER' configuration interface. It includes the following fields and controls:

- RMS URL:**
- API key:**
- Chunk size (bytes):**
- Reports:**
- Server Library Folder:**
- Host:**
- All paths are UNC
- Reports:**
- Models:**
- Templates:**
- Models to Templates:**
- Dynamic Filter:**
- User ID:**
- User Password:**
- Allowed Views:**
- Default View:**
- Reports Encoding:**
- Locale:**
- Delete Reports:
- Delete Models:
- Delete Templates:
- Admin mode:

Buttons:

Log:

- ❑ **RMS URL field:** URL: `http://<host name>:<port number>/<RMS virtual directory>`, where
 - `<host name>` is the name of the computer in which the target RMS WebServer component is installed
 - `<port number>` is the port number on which the RMS WebServer is listening
 - `<RMS virtual directory>` is the virtual directory in which the application is installed (RMSClient by default)
- ❑ **API key field:** API key, which is generated in MSAdmin (**System Settings -> System Preferences -> RMS Settings -> RMS API Keys**).



NOTES

The value of the key is generated automatically when a new API key is added.



- ❑ **Chunk size (bytes) field:** Parts size, based on which a report is divided when loading.
- ❑ **Reports field with Browse button:** Click this button to select one or more reports from the file system.
- ❑ **Server Library Folder field:** Name of the existing Server Library Folder that contains models; click the **Get models folder list** button, and then select the name of the folder from the drop-down list.
- ❑ **Host field:** The name of the host where the report is located. The default value is the data retrieved by the initiation request to the server.



NOTES

This field is mandatory if you will use the Reports, Models, Templates, and Models to Templates fields.



- ❑ **All paths are UNC check box:** Select this check box if the report host is not set so that the report path is equally accessible with any exporter.
- ❑ **Reports field:** Enter a complete resolvable path to the source report(s) or a folder which contains reports.



NOTES

This field is not mandatory.



The default value is the data retrieved by the initiation request to the server. The data are added automatically to the WebServer during installation. The location is `http://<host name>:<port number>/<RMS virtual directory>/TestPage/Files,`

where

- `<host name>` is the name of the computer in which the target RMS WebServer component is installed
- `<port number>` is the port number on which the RMS WebServer is listening
- `<RMS virtual directory>` is the virtual directory in which the application is installed (RMSCClient by default)





NOTES

RMS supports the following formats for this parameter:

- Path to a single report
- List of paths to the reports. The list items should be separated with a semicolon (;):
<report_1_path>;<report_2_path>;... <report_n_path>
- Path to the folder that contains reports (only .prn, .pdf, and .xps files are retrieved)



- **Models field:** A complete resolvable path to the source models (non-template-bound), a folder with templates, or a model definition ID.



NOTES

This field is not mandatory.



The default value is the data retrieved by the initiation request to the server. The data are added automatically to the WebServer during installation. The location is `http://<host name>:<port number>/<RMS virtual directory>/TestPage/Files,`

where

- <host name> is the name of the computer where the target RMS WebServer component is installed
- <port number> is the port number on which the RMS WebServer is listening
- <RMS virtual directory> is the virtual directory in which the application is installed (RMSCClient by default)



NOTES

RMS supports the following formats for this parameter:

- Path to a single model
- List of paths to the models. The list items should be separated with a semicolon (;):
<model_1_path>;<model_2_path>;... <model_n_path>
- Path to the folder that contains models
- Model Definition ID. The model object is available to the user (if the user has the necessary access permissions)

This parameter should list only table/summary models and not template-bound models.



- **Templates field:** Complete resolvable path to the source template(s) or a template definition ID.



NOTES

This field is not mandatory.

The default value is the data retrieved by the initiation request to the server. The data are added automatically to the WebServer during installation. The location is `http://<host name>:<port number>/<RMS virtual directory>/TestPage/Files`

where

- `<host name>` is the name of the computer in which the target RMS WebServer component is installed
- `<port number>` is the port number on which the RMS WebServer is listening
- `<RMS virtual directory>` is the virtual directory in which the application is installed (RMSCClient by default)



NOTES

RMS supports the following formats for this parameter:

- Path to a single template
- List of paths to the templates. The list items should be separated with a semicolon (;): `<template_1_path>;<template_2_path>;... <template_n_path>`
- Path to the folder that contains templates (only .xls, and .xlsx files are retrieved)
- Template Definition ID. The template object is available to the user (if the user has the necessary access permissions)

If this parameter is absent, XFORM data views will not be available.

- **Models to Templates field:** The model-to-template association. Model and Template Definition IDs can be used as input here instead of paths.

The default value is data retrieved by the initiation request to the server. The data are added automatically to the WebServer during installation. The location is at `http://<host name>:<port number>/<RMS virtual directory>/TestPage/Files`

where

- `<host name>` is the name of the computer in which the target RMS WebServer component is installed



- <port number> is the port number on which the RMS WebServer is listening
- <RMS virtual directory> is the virtual directory in which the application is installed (RMSCClient by default)



NOTES

The list items should be separated with a semicolon (;):

```
<template_1_path>;<model_1_path>;<template_2_path>;
<model_2_path>...<template_n_path>;<model_n_path>
```

If this parameter is absent, XFORM data views will not be available.



- **Dynamic Filter field:** The initial dynamic filter for Data, Summary, and ES Style Views.



NOTES

It consists of a value pair of column name and filter value:

```
FILTERCOLUMN=[ColumnName];FILTERVALUE=[FilterValue];FIL
TEROPERATOR=[EQ,NEQ,GT,LT,GTE,LTE,CONTAINS,STARTSWIT
H,ENDSWITH]
```

The date format for the filter value is YYYYMMDD.



- **User ID field:** Entry for user identifier.



NOTES

This identifier used for getting user preferences and for authentication.



- **User Password field:** Entry for user password.



NOTES

If a password is not provided, a new dynamic user is created in the RMS DB. This user is assigned to the user group that is specified in the web.config file of the RMS Client. If a password is provided, the user with the USER_ID and PASSWORD should already exist and be assigned with the RMS User privilege to login to RMS Client.

- **Allowed Views field:** Specifies the data views that will be available for the user. By default, all views are listed.



NOTES

The list items should be separated with a semicolon (;):
<data_view_1 >; < data_view_2>; ... < data_view_n>,
where <data_view_n> is one of the following constants:

- HTML_REPORT
- DYNAMIC
- TABLE
- SUMMARY
- XLS_TABLE
- XLS_SUMMARY
- PRF
- XFORM
- REMOTE_PORTLETS

- **Default View field:** Specifies the name of the view to be shown initially. The default value is **Welcome**.



NOTES

The view name can be one of the values permitted for the **Allowed Views** parameter. If no view name is specified, My Home page will be displayed.

- **Report Encoding field:** Encoding type of incoming reports from the following:
 - ANSI
 - ASCII
 - UTF8
 - UTF16LE
 - UTF16BE





NOTES

If the value is not defined, the default encoding type specified by the admin will be used.



- ❑ **Locale field:** The locale to be used in the current session. It can be one of the following:
 - English
 - Deutsch (German – Germany)
 - Français (French – France)



NOTES

If the value is not defined, the default locale specified by the admin will be used.



- ❑ **Delete Reports check box:** Removes source report after user session ends.



NOTES

The reports selected via the **Choose Files** button will not be removed.



- ❑ **Delete Models check box:** Removes source models after user session ends.



NOTES

The models from the Server Library Folder will not be removed.



- ❑ **Delete Templates check box:** Removes source templates after user session ends.
- ❑ **Admin mode check box:** Allows uploading of shared models and deleting of models.
- ❑ **Get models folder list button:** Click this button to get a list of folders with models from the Server Library.
- ❑ **Upload button:** Click this button to get a URL built for the connection to the Monarch Server RMS. The built URL is available via the link that appears beside this button.
- ❑ **Log field disabled by default:** Displays all errors and downloaded files.

Report Mining Edition API Configuration

You can change the settings of RMS API in the **config.xml** file.

The RMS Content Host involves the following settings in this file:

```
<appSettings>
...
  <add key="ApiUploadStoragePath" value="" />
...
</appSettings>
```

Enter the path in which the temporary folder will be created with the uploaded reports. Path by default is \\<host name>\C:\Windows\Temp\DatawatchRmsApiUploadStorage.



NOTES

The folder with the uploaded reports will be removed after the session ends.

```
<appSettings>
...
  <add key="ApiUploadSessionTimeOut" value="01:00:00" />
...
</appSettings>
```

Enter the time after which the session will finish.



NOTES

The resulting link will be not available after the session ends.



API Reference

The following is a complete reference of methods supported by the Report Mining Edition API.

Server Library folder

Get the Server Library folder list.

GET METHOD

`http://localhost/RMSClient/api/v1/folder/list`

Parameters:

- ❑ `apiKey` (string) – RMS API Key (should be created in System Settings)
- ❑ `objectTypes` (string) – List of object types separated by “;”. If set, only the folders containing objects of these types will be returned. The possible types are
 - MODEL
 - GROUP
 - TEMPLATE

Response:

- ❑ `Id` (int) – Folder ID
- ❑ `Name` (string) – Folder name
- ❑ `Description` (string) – Folder description
- ❑ `ParentId` (int) – Parent folder ID

Existence of Server Library objects

Check if the Server Library folder has objects of the aforementioned types.

GET METHOD

`http://localhost/RMSClient/api/v1/folder/hasobjects`

Parameters:

- ❑ `apiKey` (string) – RMS API key (should be created in System Settings)
- ❑ `folderName` (string) – Server Library folder name
- ❑ `objectTypes` (string) – List of object types separated by “;”

Response:

- ❑ `HasObjects` (Boolean) – True/false

Starting of file upload session

Start file upload session.

POST METHOD

`http://localhost/RMSClient/api/v1/upload/beginsession`

Parameter:

- ❑ `apiKey` (string) – RMS API key (should be created in System Settings)

Response:

- ❑ `TicketId` (string) – Ticket ID used to add files



File uploading

Initiate an upload of a new file.

POST METHOD

`http://localhost/RMSClient/api/v1/upload/file`

Parameters:

- ❑ FileName (string) – File name
- ❑ TicketId (string) – Ticket ID

Response:

- ❑ FileId (string) – File ID used to upload a file's content

File content uploading

Upload file content. This can be called several times for chunked uploading. The content of the file or file chunk should be passed in the request body.

POST METHOD

`http://localhost/RMSClient/api/v1/upload/file/{FileId}`

Parameter:

- ❑ FileId (string) – File ID

Response:

- ❑ ChunkSize (int) – Size of received file content

End of file upload session



End file upload session and return the URL to the RMS interface with the uploaded files.

POST METHOD

`http://localhost/RMSClient/api/v1/upload/endsession`

Parameters:

- ❑ TicketId (string) – Ticket ID used to add files
- ❑ Host (string) – RMS host
- ❑ ReportPaths (string) – A complete resolvable path to the source report(s) or a folder which contains reports
- ❑ ModelPaths (string) – A complete resolvable path to the source models (non-template-bound), a folder with templates, or a model definition ID
- ❑ TemplatePaths (string) – Complete resolvable path to the source template(s) or a template definition ID
- ❑ TemplatesToModelsMap (string) – Association between the model and template. Model and Template Definition IDs can be used as input here instead of paths.
- ❑ DynamicFilter (string) – The initial dynamic filter for Data, Summary, and ES Style Views.
- ❑ Username (string) – User identifier
- ❑ Password (string) – User password
- ❑ ModelsFolder (string) – Refers to the Server Library password
- ❑ AllowedViews (string) – Data views that will be available for the user
- ❑ DefaultView (string) – Specifies the name of the view to be shown initially
- ❑ Encoding (string) – Encoding type of incoming reports
- ❑ Locale (string) – The locale to be used in the current session
- ❑ DeleteReports (bool) – Removes source report after user session ends
- ❑ DeleteModels (bool) – Removes source models after user session ends
- ❑ DeleteTemplates (bool) – Removes source templates after user session ends
- ❑ AdminMode (bool) – Allows uploading of shared models and deleting of models

Response:

- ❑ URI – RMS URL to RMS interface with uploaded files